Clin. Otolaryngol. 1982, **7**, 439–440

Author index to Volume 7

ABRAHAM-INPIJN L., DEVRIESE P.P. & HART A.A.M. Predisposing factors in Bell's palsy; a clinical study with reference to diabetes mellitus, hypertension, clotting mechanism and lipid disturbance, 99

AMOROSO C., see Quaranta A. *et al.*

ANNYAS A.A., see Snow G.B. *et al.*

BAINTON R., see Stell P.M. *et al.*

BAINTON R., see Stell P.M. *et al.*

BALLE V., CHRISTENSEN P.-H., GREISEN O. & JØRGENSEN P.S. Treatment of zygomatic fractures: a follow-up study of 105 patients, 351

BANTON A., see Dworkin J.P. & Banton A.

BARTELINK H., see Snow G.B. *et al.*

BENTZEN O., see Hansen P.E. *et al.*

BLACK R.J. & CROFT C.B. Ranula: pathogenesis and management, 299

BLAKE P., THORBURN D.N. & STEWART I.A. Temporomandibular joint dysfunction in children presenting as otalgia, 237

BRADFIELD J.W.B., see Maw A.R. *et al.*

BRADLEY P.J. & STELL P.M. A modification of the 'pull through' technique of glossectomy, 59

BRADLEY P.J. & SINGH S.D. Congenital nasal masses: diagnosis and management, 87

BROWNING G.G., NORTHROP R. & CORTESE R. Selective destruction of the outer hair cells in the chinchilla, 3

BUCHANAN G., see Windle-Taylor P.C. *et al.*

CACHIN Y. Adjuvant chemotherapy in head and neck carcinoma, 121

CHRISTENSEN P.-H., see Balle V. *et al.*

CORTESE R., see Browning G.G. *et al.*

CROCKER J. The T lymphocyte content of the efferent lymphatics of the human palatine tonsil, 331

CROFT C.B., see Black R.J. & Croft C.B.

CULLEN R.J., see Maw A.R. *et al.*

DALBY J.E., see Stell P.M. *et al.*

DEVRIESE P.P., see Abraham-Inpijn L. *et al.*

DHILLON R.S., PALMER B.V., PITTAM M.R. & SHAW H.J. Rehabilitation after major head and neck surgery—the patients view, 319

DWORKIN J.P. & BANTON A. Oesophageal and mechanical instrument speech rehabilitation for the laryngectomee, 269

EKVALL L., see Harder H. *et al.*

ETTORE G.C., see Quaranta A. *et al.*

FEENSTRA L., see Niewmeyer P.A. *et al.*

FISCH U., see Nagahara K. & Fisch U.

GREISEN O., see Balle V. *et al.*

GRISTWOOD R.E. & VENABLES W.N. A note on progression of otosclerotic focus, 257

HARMAM S.M., see Sharaki M.M. *et al.*

HANSEN J.H., see Hansen P.E. *et al.*

HANSEN P.E., HANSEN J.H. & BENTSEN O. Acupuncture treatment of chronic bilateral tinnitus—a double-blind cross-over trial, 325

HARDER H., JARLVALL L., KYLÉN P & EKWALL L. Calculation of hearing results after tympanoplasty, 221

HART A.A.M., see Abraham-Inpijn L. *et al.* see also Snow G.B. *et al.*

HASSMANN E., see Michaels L. & Hassmann E.

HELLQUIST H., LUNDGREN J. & OLOFSSON J. Hyperplasia, keratosis, dysplasia and carcinoma *in situ* of the vocal chords—a follow-up study, 11

HIBBERT J. & STELL P.M. Schwannoma of the neck, 245, see also Stell P.M. *et al.*

HOWARD P. The internal carotid artery in relation to middle ear surgery, 321

HOWIE A.J. The cells in tonsillar crypts, 35

HOWIE A.J. & PROOPS D.W. The definition of branchial cysts, sinuses and fistulae, 51

ISACSSON G. & LUNDQUIST P.-G. Salivary calculi as an aetiological factor in chronic sialadenitis of the submandibular gland, 231

JERLVALL L., see Harder H. *et al.*

JOHNSON A.P., see Maran A.G.D. *et al.*

JØRGENSEN P.S., see Balle V. *et al.*

KERR A.G., see Walby A.P. & Kerr A.G. see also Walby A.P. *et al.*

KOCK P.A.M., see Niewmeyer P.A. *et al.*

KYLÉN P., see Harder H. *et al.*

LUNDGREN J., see Hellquist H. *et al.*

LUNDQUIST P.-G., see Isacsson G. & Lundquist P.-G.

MARAN A.D.G., MURRAY J.A.M. & JOHNSON A.P. Management techniques in the use of the Blom-Singer valve, 201

MAW A.R., CULLEN R.J. & BRADFIELD J.W.B. Verrucous carcinoma of the larynx, 305

MICHAELS L. & HASSMANN E. Ventriculosacular carcinoma of the larynx, 165, see also Wells M. & Michaels L. and Windle-Taylor P.C. *et al.*

MORTON R.P., see Ramadan M.F. *et al.*

MURRAY J.A.M., see Maran A.G.D. *et al.*

MYGIND N. Topical steroid treatment for allergic rhinitis and allied conditions, 343, see also Pedersen M. & Mygind N.

NAGAHARA K. & FISCH U. Effects of diatrizcate meglumine (Hypaque) on the perilymphatic oxygen tension, 339
NORTHRUP R., see Browning G.G. *et al.*
NEVIN N.C., see Walby A.P. *et al.*
NIEWMEYER P.A., KOCK P.A.M., VISSER S.L. & FEENSTRA L. Bell's palsy: a polyneuropathy, 293

OJALA K., SORRI M. & VAINIO-MATTILA J. Bacteriological studies after obliterative mastoid operations, 81
OLOFSSON J., see Hellquist H. *et al.* see also Starkhammer H. & Olofsson J.

PALMER B.V., see Dhillon R.S. *et al.*
PEDERSEN M. & MYGIND N. Rhinitis, sinusitis and otitis media in Kartagene's syndrome (primary ciliary dyskinesia), 313
PHAROAH P.O.D., see Ramadan M.F. *et al.*
PITTAM M.R., see Dhillon R.S. *et al.*
POUBLON R.M.L. Evaluation of head and neck tumours before and after radiotherapy of 40Gy using gallium-67-citrate. A pilot study, 181
PROOPS D.W., see Howie A.J. & Proops D.W.

QUARANTA A., AMOROSO C., ETTORE G.C. & VIOLANTE F. Clinical and radiological findings in subjects with unilateral Ménière's disease, 29

RAAB G.M., see Stell P.M. *et al.*
RAMADAN M.F., MORTON R.P., STELL P.M. & PHAROAH P.O.D. Epidemiology of laryngeal cancer, 357, see also Stell P.M. *et al.*

SHARAKI M.M., TALAAT M. & HAMAM S.M. Schwannoma of the neck, 245
SHAW H.J., see Dhillon R.S. *et al.*
SINGH S.D., see Bradley P. J. & Singh S.D. see also Stell P.M. *et al.*
SMYTH G.D.L. Recent and future trends in the management of otosclerotic conductive hearing loss, 153
SNOW G.B., ANNYAS A.A., VAN SLOOTEN E.A., BARTELINK H. & HART A.A.M. Prognostic factors of neck node metastasis, 185
SNYDER J.M. Predictability of the glycerine test in the diagnosis of Ménière's disease, 329
SORRI M., see Ojala K. *et al.*
STARKHAMMAR H. & OLOFSSON J. Facial fractures. A review of 922 cases with special reference to incidence and aetiology, 345
STEARNS M.P. The effect of irradiation on nerve grafting, 161
STELL I.M., see Stell P.M. *et al.*
STELL P.M. Retraction of skin flaps, 45
STELL P.M., RAMADAN M.F., DALBY J.E., HIBBERT J., RAAB G.M. & SINGH S.D. Management of post-cricoid carcinoma, 145
STELL P.M., DALBY J.E., SINGH S.D., RAMADAN M.F. & BAINTON R. The management of glottic T_3 carcinoma, 175
STELL P.M., WATT J. & STELL I.M. Squamous metaplasia of the human larynx: the influence of sex and area of residence in the non-smoking population, 335, see also Bradley P.J. & Stell P.M., Hibbert J. & Stell P.M. and Ramadan M.F. *et al.*
STEWART I.A., see Blake P. *et al.*

TALAAT M. Microsurgical trans-laterocervical arytenocodopexy: a modernization of an old surgical technique, 261
TALAAT M. A new dissector aspirator for endonasal microsurgery, 341, see also Sharaki M.M. *et al.*
THORBURN D.N., see Blake P. *et al.*
TUCKER A.G. The current status of tonsillectomy—a survey of otolaryngologists, 367

VAINIO-MATTILA J., see Ojala K. *et al.*
VAN SLOOTEN E.A. see Snow G.B. *et al.*
VENABLES W.N., see Gristwood R.E. & Venables W.N.
VIOLANTE F., see Quaranta A. *et al.*
VISSER S.L., see Niewmeyer P.A. *et al.*

WALBY A.P. & KERR A.G. Streptomycin sulphate and deafness: a review of the literature, 63
WALBY A.P., KERR A.G., NEVIN N.C. & WOODS G. Tissue culture of surgically prepared temporalis fascia, 313
WALTS A.E. Fine needle aspiration of the thyroid—review of a valuable diagnostic technique, 205
WINDLE-TAYLOR P.C., BUCHANAN G. & MICHAELS L. The mondini defect in Turner's syndrome. A temporal bone report, 75
WELLS M. & MICHAELS L. Congenital abnormalities of the ear in perinatal deaths, 99
WOODS N.C., see Walby A.P. *et al.*
WRIGHT A. Giant cilia in the human organ of Corti, 193